



BOSS BH 31

Product Data Sheet

Marketing Department.
October 23, 2020

This document is created to register the marketing communication collaterals and process details for the launch of the above-mentioned pattern; it is intended for internal circulation and approval for further dissemination. All facts and figures mentioned in the document is true to the best of our knowledge as on the above said date, for updated information please feel free to visit the website www.ascensotyres.com

List of Sizes

Release Month: October'20

Brand: ASCENSO

Tread Pattern : BOSS BH 31

Tyre Construction: Bias

Type: Tube Type

Main Applications: Backhoe Loader

TRA Code: E3

Size	PR
14.00-25	20



Salient Features

Unique XD pattern:

Higher mileage , more load carrying Capacity and greater traction

Specially – designed CCR compound:

Cut and chip resistance compound provides excellent resistance under sever terrain condition and improves re-treadability



Technical Specification

Tyre Size	PR	TT/TL	Load Index/Speed Symbol	Rim	Unloaded Inflated Dimension				Static Loaded Radius		Roolling Circumference		Load Carrying Capacity			
					SW		OD						Max.Load		Inflation Pressure	
					mm	in	mm	in	mm	in	mm	in	kg	lbs	bar	psi
14.00-25	20	TT	161 B	10.00	375.0	14.8	1368.0	53.9	620.0	24.4	4091.0	161.1	4625	10175	4.8	69

Note: All tyres confirm to ETRTO standards

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover